

S

V-07 Print date: 28.10.21 Page 1 of 22

Dr. STHAMER HAMBURG

| SEC | TION 1: Identification of the | substance/mixture and of the company/undertaking |
|-----|---|--|
| 1.1 | Product identifier | |
| | STHAMEX [®] -AFFF 1% | • F-25 #4142 |
| | UFI: 5MFC-K0P9-X00F-QH6C | |
| 1.2 | Relevant identified uses of the s | substance or mixture and uses advised against |
| | Use of the substance/mixture | |
| | Fire-extinguishing foam | |
| 1.3 | Details of the supplier of the safety | fety data sheet |
| | Manufacturer | Fabrik chemischer Präparate von Dr. R. Sthamer GmbH & Co. KG |
| | Street | Liebigstraße 5 |
| | Postal code/City | D-22113 Hamburg |
| | Country | Deutschland |
| | Telephone | +49 (0)40/736168-0 |
| | Telefax | +49 (0)40/736168-60 |
| | E-mail (competent person) | labor@sthamer.com |
| | Website | http://sthamer.com |
| | Department responsible for information | Dr. Prall, +49 (0)40/736168-31 |
| | Emergency telephone number | +49 (0)40/736168-0 |
| 1.4 | Emergency telephone number | |
| | GIZ-Nord Poisons Centre of the University of Gö | ttingen |
| | Telephone | +49 (0)551/19240 |

SECTION 2: Hazards identification

The information in this section and in all following sections (unless otherwise stated) refer to the product in the delivery condition (concentrate). The ready-to-use solutions prepared according to the dilution recommendation are to be classified differently (see Section 16).

| 2.1 | Classification of the s | ubstance or mix | xture |
|-----|-----------------------------------|------------------------|---|
| | Classification according to Reg | ulation (EC) No 1272/2 | 2008 [CLP] |
| | Eye Imit. 2 H319 | | |
| ~ ~ | •••• | | |
| 2.2 | Label elements | | |
| | Labelling according to Regulation | on (EC) No. 1272/2008 | [CLP] |
| | Hazard pictograms | | |
| | | | |
| | | · · · / | |
| | | | |
| | Signal word | WARNING | |
| | Hazard statements | H319 | Causes serious eye irritation. |
| | Precautionary statements | P262 | Do not get in eyes, on skin, or on clothing. |
| | | P280 | Wear protective gloves/protective clothing/eye protection/face protection/hearing |
| | | | protection/ |
| | | P301+P330+P331 | IF SWALLOWED: rinse mouth. Do NOT induce vomiting. |
| | | P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin |
| | | | with water [or shower]. |
| | | P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact |
| | | | lenses, if present and easy to do. Continue rinsing. |
| | | | |
| | Classification procedure | Bridging principle "Su | ubstantially similar mixtures" |
| | Classification procedure | Bindand hundhe Sr | ubstantially similar mixtures". |



S

V-07 Print date: 28.10.21 Page 2 of 22

Dr. STHAMER HAMBURG

| Endocrine disrupting properties |
|---|
| Preparation related information |
| There are no data available on the mixture itself. |
| Information on ingredients |
| 1,2-ETHANDIOL: |
| This substance does not have endocrine disrupting properties with respect to humans. |
| 2-(2-BUTOXYETHOXY)ETHANOL: |
| This substance does not have endocrine disrupting properties with respect to humans. |
| OCTYLSULFATE: |
| This substance does not have endocrine disrupting properties with respect to humans. |
| DECYLSULFATE: |
| This substance does not have endocrine disrupting properties with respect to humans. |
| ALKYLPOLYGLYCOSIDE: |
| This substance does not have endocrine disrupting properties with respect to humans. |
| FLUOROSURFACTANT: |
| This substance does not have endocrine disrupting properties with respect to humans. |
| Results of PBT and vPvB assessment |
| Preparation related information |
| There are no data available on the mixture itself. |
| Information on ingredients |
| 1,2-ETHANDIOL: |
| This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. |
| 2-(2-BUTOXYETHOXY)ETHANOL: |
| This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. |
| OCTYLSULFATE: |
| This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. |
| DECYLSULFATE: |
| This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. |
| ALKYLPOLYGLYCOSIDE: |
| This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. |
| FLUOROSURFACTANT: |
| This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. |
| The data refer to the product as delivered. The solutions for use produced according to dilution recommendations are to be classified |
| differently. |
| Can harm the aquatic fauna when entering surface waters. |
| Can harm the bacteria population in waste water treatment plants when entering the sewerage system. |
| Breathing is not possible whilst submerged in the foam. Take care when spraying people! |
| The product contains fluorosurfactants that are not completely biodegradable. |
| Concentrated surfactant solutions always pose a danger to aquatic life because they greatly reduce the surface tension of water thus |
| disrupting all life processes associated with it. In sewage treatment plants, for example, the necessary aeration of the sewage stages of |
| hindered by the strong foam formation. |

SECTION 3: Composition / information on ingredients

3.1 Substances

not applicable

3.2 Mixtures

1,2-ETHANDIOL CAS No.: 107-21-1 EC No.: 203-473-3 REACH No.: 01-2119456816-28-XXXX





V-07 Print date: 28.10.21 Page 3 of 22

Concentration: 5 - 10%

Classification according to Regulation (EC) No 1272/2008 [CLP]: GHS07-GHS08; Acute Tox. 4-STOT RE 2; H302-H373.8

2-(2-BUTOXYETHOXY)ETHANOL

CAS No.: 112-34-5 EC No.: 203-961-6 REACH No.: 01-2119475104-44-XXXX Concentration: 20 - 25% Classification according to Regulation (EC) No 1272/2008 [CLP]: GHS07; Eye Irrit. 2; H319

OCTYLSULFATE

CAS No.: 142-31-4 EC No.: 205-535-5 REACH No.: 01-2119966154-35-XXXX Concentration: 1 - 5% Classification according to Regulation (EC) No 1272/2008 [CLP]: GHS05; Skin Irrit. 2-Eye Dam. 1; H315-H318

DECYLSULFATE

CAS No.: 142-87-0 EC No.: 205-568-5 REACH No.: 01-2119970328-30-XXXX Concentration: 1 - 5% Classification according to Regulation (EC) No 1272/2008 [CLP]: GHS05; Acute Tox. 4-Skin Init. 2-Eye Dam. 1; H302-H315-H318

ALKYLPOLYGLYCOSIDE

CAS No.: 68515-73-1 EC No.: 500-220-1 REACH No.: 01-2119488530-36-XXXX Concentration: 10 - 15% Classification according to Regulation (EC) No 1272/2008 [CLP]: GHS05; Eye Dam. 1; H318

FLUOROSURFACTANT

Concentration: 1 - 5% The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

WATER

CAS No.: 7732-18-5 Concentration: 35 - 62% The substance is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

The product does not contain any relevant amounts of substances that are on the SVHC list.

Full text of H- and EUH-statements: see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove contaminated, saturated clothing immediately. Wash thoroughly the body (shower or bath). Observe risk of aspiration if vomiting occurs. When in doubt or if symptoms are observed, get medical advice.

Following inhalation

Provide fresh air. Consult a doctor immediately in the case of inhaling spray mist and show him packing or label.



V-07 Print date: 28.10.21 Page 4 of 22

Dr.STHAMER HAMBURG

In case of skin contact Wash immediately with:: Water

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Do NOT induce vomiting. If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Dizziness Nausea Gastrointestinal complaints

4.3 Indication of any immediate medical attention and special treatment needed

If unconscious but breathing normally, place in recovery position and seek medical advice. IF SWALLOWED: Immediately call a POISON CENTER/doctor/....

SECTION 5: Firefighting measures

5.1 Extinguishing media

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

5.2 Special hazards arising from the substance or mixture

The product itself does not burn.

5.3 Advice for firefighters

Regardless of the admixture of a foam agent, extinguishing water can be heavily contaminated with hazardous substances due to the absorption of fire residues and should therefore, if possible, not enter the sewage system or bodies of water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Provide adequate ventilation. 6.2 Environmental precautions Cover drains. Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

6.3 Methods and material for containment and cleaning up

Take up mechanically, placing in appropriate containers for disposal. Treat the recovered material as prescribed in the section on waste disposal. Suitable material for taking up Sand Sawdust Chemical binding agents, containing acids





V-07 Print date: 28.10.21 Page 5 of 22

6.4 Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

| Precautions for safe handling |
|--|
| Avoid |
| Skin contact |
| Eye contact |
| Wear personal protection equipment (refer to section 8). |
| Measures to prevent fire |
| The product is not |
| oxidising |
| Combustible |
| Flammable |
| Explosive |
| Highly flammable |
| No special fire protection measures are necessary. |
| Environmental precautions |
| Shafts and sewers must be protected from entry of the product. |
| Advices on general occupational hygiene |
| When using do not eat, drink, smoke, sniff. |
| Do not store at temperatures above: +50°C |
| Requirements for storage rooms and vessels |
| |
| Suitable container/equipment material |
| Suitable container/equipment material Refined steel |
| |
| Refined steel |
| Refined steel Polyethylene (PE) |
| Refined steel Polyethylene (PE) Unsuitable container/equipment material |
| Refined steel Polyethylene (PE) Unsuitable container/equipment material Aluminium |
| Refined steel Polyethylene (PE) Unsuitable container/equipment material Aluminium Light metal |
| Refined steel Polyethylene (PE) Unsuitable container/equipment material Aluminium Light metal Copper |
| Refined steel Polyethylene (PE) Unsuitable container/equipment material Aluminium Light metal Copper Zinc |
| Refined steel Polyethylene (PE) Unsuitable container/equipment material Aluminium Light metal Copper Zinc Alloy, containing copper |
| Refined steel Polyethylene (PE) Unsuitable container/equipment material Aluminium Light metal Copper Zinc Alloy, containing copper Alloy, contains light metal |
| Refined steel Polyethylene (PE) Unsuitable container/equipment material Aluminium Light metal Copper Zinc Alloy, containing copper Alloy, contains light metal Iron. |
| Refined steel Polyethylene (PE) Unsuitable container/equipment material Aluminium Light metal Copper Zinc Alloy, containing copper Alloy, contains light metal Iron. Steel |
| Refined steel Polyethylene (PE) Unsuitable container/equipment material Aluminium Light metal Copper Zinc Alloy, containing copper Alloy, contains light metal Iron. Steel |



5

V-07 Print date: 28.10.21 Page 6 of 22

Dr.STHAMER HAMBURG

Do not use for cleaning purposes.

Recommendation

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

| .1 | Control parameters | | | | | | | |
|-----|--|--|--|--|--|--|--|--|
| | Substance name: 1,2-ETHANDIOL | | | | | | | |
| | CAS No.: 107-21-1 | | | | | | | |
| | REACH No.: 01-2119456816-28-XXXX | | | | | | | |
| | United Kingdom | | | | | | | |
| | Long-term occupational exposure limit value: 20 ppm; Limit value type (country of origin): TWA (EN) | | | | | | | |
| | short-term occupational exposure limit value: 40 ppm; Limit value type (country of origin): STEL (EN) European Union | | | | | | | |
| | Long-term occupational exposure limit value: 20 ppm; Limit value type (country of origin): TWA (EC) | | | | | | | |
| | short-term occupational exposure limit value: 40 ppm; Limit value type (country of origin): STEL (EC) | | | | | | | |
| | Germany | | | | | | | |
| | Long-term occupational exposure limit value: 10 ppm; Limit value type (country of origin): AGW (DE) | | | | | | | |
| | short-term occupational exposure limit value: 20 ppm; Limit value type (country of origin): Peak (DE) | | | | | | | |
| | Ireland | | | | | | | |
| | Long-term occupational exposure limit value: 20 ppm; Limit value type (country of origin): TWA (IE) | | | | | | | |
| | short-term occupational exposure limit value: 40 ppm; Limit value type (country of origin): STEL (IE) | | | | | | | |
| | | | | | | | | |
| | Substance name: 2-(2-BUTOXYETHOXY)ETHANOL CAS No.: 112-34-5 | | | | | | | |
| | REACH No.: 01-2119475104-44-XXXX | | | | | | | |
| | | | | | | | | |
| | United Kingdom | | | | | | | |
| | Long-term occupational exposure limit value: 10 ppm; Limit value type (country of origin): TWA (EN) short-term occupational exposure limit value: 15 ppm; Limit value type (country of origin): STEL (EN) | | | | | | | |
| | European Union | | | | | | | |
| | Long-term occupational exposure limit value: 10 ppm; Limit value type (country of origin): TWA (EC) | | | | | | | |
| | short-term occupational exposure limit value: 15 ppm; Limit value type (country of origin): STEL (EC) | | | | | | | |
| | Germany | | | | | | | |
| | Long-term occupational exposure limit value: 10 ppm; Limit value type (country of origin): AGW (DE) | | | | | | | |
| | short-term occupational exposure limit value: 15 ppm; Limit value type (country of origin): Peak (DE) Ireland | | | | | | | |
| | Long-term occupational exposure limit value: 10 ppm; Limit value type (country of origin): TWA (IE) | | | | | | | |
| | short-term occupational exposure limit value: 15 ppm; Limit value type (country of origin): STEL (IE) | | | | | | | |
| 8.2 | Exposure controls | | | | | | | |
| | Advices on general occupational hygiene | | | | | | | |
| | Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500. | | | | | | | |
| | Avoid contact with skin, eyes and clothes. | | | | | | | |
| | Remove contaminated, saturated clothing. | | | | | | | |
| | Wash contaminated clothing prior to re-use. | | | | | | | |
| | Wash hands before breaks and after work. | | | | | | | |
| | | | | | | | | |
| | Apply skin care products after work. | | | | | | | |
| | Eye/face protection | | | | | | | |
| | Suitable eye protection | | | | | | | |
| | Eye glasses with side protection | | | | | | | |
| | goggles | | | | | | | |
| | Face protection shield | | | | | | | |





V-07 Print date: 28.10.21 Page 7 of 22

Recommended eye protection articles DIN EN 166

Hand protection

Suitable gloves type Gloves with long cuffs Suitable material NBR (Nitrile rubber) Butyl caoutchouc (butyl rubber) Breakthrough time 120 min. Thickness of the glove material > 0.6 mm Recommended glove articles EN ISO 374 Breakthrough times and swelling properties of the material must be taken into consideration.

Body protection Body protection: not required.

Respiratory protection

Usually no personal respirative protection necessary.

Environmental exposure controls

Store concentrate according to national regulations. Do not let the concentrate get into the environment. If possible, hold back the application solution and dispose of after use.

SECTION 9: Physical and chemical properties

|) | Physical state | | | : | Liquid | | |
|----------|--|---------------|-----------|---------------------------|------------------------------|--------------|--------|
| b) | Colour | | | : | colourless / yellow | | |
| c) Odour | | | : | Glycol, Ether, Surfactant | | | |
| d) | Melting point/freezing point/freezin | oint | | : | -25°C | EN 1568:2018 | 3 |
| e) | Melting point/freezing point/freezin | pint | | : | > 100°C | DIN 51751 | |
| f) | Flammability | | | : | not applicable | | |
| | Lower and upper explos | ion limit/fla | mmability | | | | |
| | limit | | | : | No data available | | |
| h) | Flash point | | | : | No flash point up to 100 °C. | | |
| i) | Ignition temperature in ° | C | | : | not applicable | | |
| j) | Decomposition tempera | ture | | : | No data available | | |
| k) | рН | at °C | 20 | : | 6,5 - 8,5 | DIN 19268 | |
| I) | Viscosity | at °C | 20 | : | < 20 mm²/s | DIN 51562 | Newton |
| | | at °C | -25 | : | < 200 mm²/s | DIN 51562 | Newton |
| m) | Solubility | | | : | Water: completely miscible | OECD 105 | |
| n) | Partition coefficient n-oc | tanol/wate | r (log | | | | |
| | value) | | | : | not applicable | | |
| o) | Vapour pressure | | | : | No data available | | |
| p) | Density and/or relative | | | | | | |
| | density | at °C | 20 | : | 1,040 - 1,080 g/ml | DIN 12791 | |
| q) | Relative vapour density | | | : | No data available | | |
| r) | particle characteristics | | | : | not applicable | | |

Revision date: 16.10.2021 SD - 4142 - V07 - STHAMEX-AFFF 1% F-25 #4142 - EN



S

V-07 Print date: 28.10.21 Page 8 of 22

r.STHAMER HAMBURG

| Inf | ormation with regard to physical hazar | d | classes |
|-----|---|---|---|
| a) | Explosives | : | not applicable |
| b) | Explosives | : | not applicable |
| C) | Aerosols | : | not applicable |
| d) | Oxidising gas | : | not applicable |
| e) | Gases under pressure | : | not applicable |
| f) | Flammable liquids | : | not applicable |
| g) | Flammable solids | : | not applicable |
| h) | Self-reactive substances and mixtures | : | not applicable |
| i) | Pyrophoric liquids | : | not applicable |
| j) | Pyrophoric solids | : | not applicable |
| k) | Self-heating substances and mixtures | : | not applicable |
| I) | Substances or mixtures which, in contact with | | |
| | water, emit flammable gases | : | not applicable |
| m) | Oxidising liquids | : | not applicable |
| n) | | : | not applicable |
| o) | Organic peroxides | : | not applicable |
| p) | Corrosive to metals | : | See section 7 of the safety data sheet. |
| q) | Desensitised explosives | : | not applicable |
| Ot | her safety characteristics | | |
| a) | Mechanical sensitivity | : | not applicable |
| b) | Self-accelerating polymerisation temperature | | |
| | (SAPT) | : | not applicable |
| c) | formation of explosible dust/air mixtures | : | not applicable |
| d) | acid/alkaline reserve | : | not applicable |
| e) | Evaporation rate | : | No data available |
| f) | miscibility | : | Water: completely miscible |
| g) | Conductivity | : | ~ 1000 µS/cm |
| h) | Corrosiveness | : | Skin corrosion/irritation: none |
| | | | Serious eye damage/irritation: irritant |
| i) | gas group | : | not applicable |
| j) | Redox potential | : | not applicable |
| k) | radical formation potential | : | not applicable |
| I) | photocatalytic properties | : | not applicable |

Breathing is not possible whilst submerged in the foam. Take care when spraying people!

SECTION 10: Stability and reactivity

10.1 Reactivity

Materials to avoid Alkali (lye), concentrated Alkali metals Acid, concentrated Oxidising agent, strong Reducing agent, strong Acid halides





V-07 Print date: 28.10.21 Page 9 of 22

| 10.2 | Chemical stability |
|------|------------------------------------|
| | No special measures are necessary. |

10.3 Possibility of hazardous reactions No special measures are necessary.

- - - ----

10.4 Conditions to avoid

Do not store at temperatures above: +50°C

10.5 Incompatible materials

See section 7. No additional measures necessary.

10.6 Hazardous decomposition products

Pyrolysis products, containing fluorine Fluorinated hydrocarbons Hydrofluoric acid

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test was carried out with a similar preparation/mixture.

```
a) Acute toxicity
Acute oral toxicity
Preparation related information
LD50
                  > 2000 mg/kg
                                       The acute oral toxicity is corresponding to GHS-category 5.
Species
                  Rat
Method
                  Bridging principle "Substantially similar mixtures".
Information on ingredients
1.2-ETHANDIOL:
        LD50 (7d) 2310 mg/kg ==>
        Harmful if swallowed.
        (Source: ECHA database «Registered substances»)
2-(2-BUTOXYETHOXY)ETHANOL:
        LD50 (14d) 5530 mg/kg ==>
        The acute oral toxicity is corresponding to GHS-category 5.
        (Source: ECHA database «Registered substances»)
OCTYLSULFATE:
        LD50 (14d) > 2000 mg/kg ==>
        The acute oral toxicity is corresponding to GHS-category 5.
        (Source: ECHA database «Registered substances»)
DECYLSULFATE:
        LD50 (14d) 1200 mg/kg ==>
        Harmful if swallowed.
        (Source: ECHA database «Registered substances»)
ALKYLPOLYGLYCOSIDE:
        LD50 (14d) > 2000 mg/kg ==>
        The acute oral toxicity is corresponding to GHS-category 5.
        (Source: ECHA database «Registered substances»)
FLUOROSURFACTANT:
        LD50 (14d) > 5000 mg/kg ==>
        The acute oral toxicity is corresponding to GHS-category 5.
        (Source: Safety Data Sheet)
```



V-07 Print date: 28.10.21 Page 10 of 22

| | related information |
|---|--|
| | o data available on the mixture itself. |
| | <u>on ingredients</u> |
| 1,2-ETHAN | |
| | 050 (14d) > 3500 mg/kg ==> |
| | ne acute dermal toxicity is corresponding to GHS-category 5. |
| • | ource: ECHA database «Registered substances») |
| | XYETHOXY)ETHANOL: |
| | 050 (1d) 2764 mg/kg ==> |
| | ne acute dermal toxicity is corresponding to GHS-category 5. |
| | ource: ECHA database «Registered substances») |
| OCTYLSU | |
| |)50 (14d) > 2000 mg/kg ==> |
| | ne acute dermal toxicity is corresponding to GHS-category 5. |
| | ource: ECHA database «Registered substances») |
| DECYLSU | |
| | 050 (14d) > 2000 mg/kg ==> |
| | ne acute dermal toxicity is corresponding to GHS-category 5. |
| • | ource: ECHA database «Registered substances») |
| | YGLYCOSIDE: |
| | 050 (14d) > 2000 mg/kg ==> |
| | ne acute dermal toxicity is corresponding to GHS-category 5. |
| | ource: ECHA database «Registered substances») |
| | URFACTANT: |
| | o data available |
| | |
| | p information available. No classification in the above-mentioned hazard class |
| (S | ource: Safety Data Sheet) |
| (S Acute inha Preparatior | ource: Safety Data Sheet) Iation toxicity related information |
| (S Acute inha <u>Preparatior</u> There are r | ource: Safety Data Sheet) Iation toxicity I <u>related information</u> Io data available on the mixture itself. |
| (S Acute inha <u>Preparatior</u> There are r <u>Information</u> | ource: Safety Data Sheet) Internation Internatio Internation Internation Internation Internation Inter |
| (S Acute inha Preparation There are r Information 1,2-ETHAN | ource: Safety Data Sheet) Interaction toxicity Interacted information Interaction the mixture itself. Interaction on ingredients IDIOL: |
| (S Acute inha Preparatior There are r Information 1,2-ETHAN | lation toxicity related information o data available on the mixture itself. on ingredients /D/OL: 250 (6h) > 2,5 mg/L ==> |
| (S Acute inha <u>Preparatior</u> There are r <u>Information</u> 1,2-ETHAN L(TI (S | lation toxicity related information o data available on the mixture itself. on ingredients <i>IDIOL:</i> 250 (6h) > 2,5 mg/L ==> ne acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») |
| (S Acute inha Preparatior There are r Information 1,2-ETHAN L(TI (S 2-(2-BUTC) | lation toxicity Irelated information to data available on the mixture itself. on ingredients <i>DIOL:</i> 250 (6h) > 2,5 mg/L ==> the acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY)ETHANOL: |
| (S Acute inha Preparation There are r Information 1,2-ETHAN L(Th (S 2-(2-BUTO N | lation toxicity I related information o data available on the mixture itself. <u>on ingredients</u> IDIOL: >50 (6h) > 2,5 mg/L ==> ne acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY/ETHANOL: DEC (2h) 29 ppm ==> |
| (S Acute inha Preparation There are r Information 1,2-ETHAN L(The (S 2-(2-BUTC) N The second | lation toxicity Irelated information o data available on the mixture itself. on ingredients IDIOL: \S50 (6h) > 2,5 mg/L ==> the acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY)ETHANOL: DEC (2h) 29 ppm ==> te acute inhalation toxicity related to vapours is corresponding to GHS-category 5. |
| (S Acute inha Preparation There are r Information 1,2-ETHAN C TI (S 2-(2-BUTC) N TI (S (S (S) (S) (S) (S) (S) (S) | lation toxicity Irelated information to data available on the mixture itself. on ingredients IDIOL: 250 (6h) > 2,5 mg/L ==> the acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY)ETHANOL: DEC (2h) 29 ppm ==> te acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») |
| (S Acute inha Preparation There are r Information 1,2-ETHAN L(S 2-(2-BUTO N TI (S OCTYLSU | lation toxicity related information o data available on the mixture itself. on ingredients I/DIOL: 250 (6h) > 2,5 mg/L ==> ne acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY/ETHANOL: DEC (2h) 29 ppm ==> ne acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY/ETHANOL: DEC (2h) 29 ppm ==> ne acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») LFATE: |
| (S Acute inha Preparation There are r Information 1,2-ETHAN L(S 2-(2-BUTO N TI (S OCTYLSU N | lation toxicity related information o data available on the mixture itself. on ingredients I/DIOL: 250 (6h) > 2,5 mg/L ==> ne acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY)ETHANOL: DEC (2h) 29 ppm ==> ne acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY)ETHANOL: DEC (2h) 29 ppm ==> ne acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») LFATE: o data available |
| (S Acute inha Preparation There are r Information 1,2-ETHAN L(TH (S 2-(2-BUTC N TH (S OCTYLSU N N | lation toxicity Irelated information o data available on the mixture itself. on ingredients IDIOL: 250 (6h) > 2,5 mg/L ==> the acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY)ETHANOL: DEC (2h) 29 ppm ==> the acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY)ETHANOL: DEC (2h) 29 ppm ==> te acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») LFATE: to data available to formation available. No classification in the above-mentioned hazard class |
| (S Acute inha Preparation There are r Information 1,2-ETHAN L(TH (S 2-(2-BUTC N (S OCTYLSU N (S (S (S) (S) (S) (S) (S) (S) | lation toxicity Irelated information o data available on the mixture itself. on ingredients ID/OL: 250 (6h) > 2,5 mg/L ==> te acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY)ETHANOL: DEC (2h) 29 ppm ==> te acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») X/FATE: 0 data available 0 data available 0 information available. No classification in the above-mentioned hazard class ource: Safety Data Sheet) |
| (S Acute inha <u>Preparation</u> There are r <u>Information</u> 1,2-ETHAN L(TI (S 2-(2-BUTC) N TI (S OCTYLSU N S DECYLSU | lation toxicity related information o data available on the mixture itself. on ingredients IDIOL: 250 (6h) > 2,5 mg/L ==> te acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY)ETHANOL: DEC (2h) 29 ppm ==> te acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY)ETHANOL: DEC (2h) 29 ppm ==> te acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») JFATE: to data available to information available. No classification in the above-mentioned hazard class ource: Safety Data Sheet) JFATE: |
| (S Acute inha <u>Preparation</u> There are r <u>Information</u> 1,2-ETHAN L(TI (S 2-(2-BUTC) N S OCTYLSU N (S DECYLSU N | lation toxicity related information o data available on the mixture itself. on ingredients IDIOL: 250 (6h) > 2,5 mg/L ==> te acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY)ETHANOL: DEC (2h) 29 ppm ==> te acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY)ETHANOL: DEC (2h) 29 ppm ==> te acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») JFATE: o data available to information available. No classification in the above-mentioned hazard class ource: Safety Data Sheet) JFATE: o data available |
| (S Acute inha Preparation There are r Information 1,2-ETHAN L(S 2-(2-BUTO N TH (S OCTYLSU N S DECYLSU N N N | lation toxicity Irelated information o data available on the mixture itself. on ingredients I/OL: 250 (6h) > 2,5 mg/L >50 (6h) > 2,5 mg/L => e acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY)ETHANOL: DEC (2h) 29 ppm ==> ie acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY)ETHANOL: DEC (2h) 29 ppm ==> ie acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») LFATE: 0 data available 0 information available. No classification in the above-mentioned hazard class 0 data available 0 information available. No classification in the above-mentioned hazard class 0 data available 0 information available. No classification in the above-mentioned hazard class |
| (S Acute inha Preparation There are r Information 1,2-ETHAN (S 2-(2-BUTO N TH (S OCTYLSU N N (S DECYLSU N (S DECYLSU (S (S (S (S (S) (S) (S) (S) (S | lation toxicity Irelated information o data available on the mixture itself. on ingredients ID/OL: 250 (6h) > 2,5 mg/L ==> ie acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY)ETHANOL: DEC (2h) 29 ppm ==> ie acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY)ETHANOL: DEC (2h) 29 ppm ==> ie acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») LFATE: 0 data available 0 information available. No classification in the above-mentioned hazard class 0 data available 0 information available. No classification in the above-mentioned hazard class 0 information available. No classification in the above-mentioned hazard class 0 data available 0 information available. No classification in the above-mentioned hazard class 0 information available. No classification in the above-mentioned hazard class 0 information available. No classification in the above-mentioned hazard class 0 informat |
| (S Acute inha Preparation There are r Information 1,2-ETHAN (S 2-(2-BUTO N TH (S OCTYLSU N S DECYLSU N S ALKYLPO | lation toxicity related information o data available on the mixture itself. on ingredients ID/OL: >250 (6h) > 2,5 mg/L ==> ne acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY)ETHANOL: DEC (2h) 29 ppm ==> ne acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY)ETHANOL: DEC (2h) 29 ppm ==> ne acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») <i>IFATE</i> : > 0 data available > 0 information available. No classification in the above-mentioned hazard class ource: Safety Data Sheet) <i>IFATE</i> : > 0 data available > 0 information available. No classification in the above-mentioned hazard class > 0 data available > 0 information available. No classification in the above-mentioned hazard class > 0 data available > 0 information available. No classification in the above-mentioned hazard class > 0 urce: Safety Data Sheet) <i></i> |
| (S Acute inha Preparation There are r Information 1,2-ETHAN (S 2-(2-BUTCO N TH (S OCTYLSU N S DECYLSU N (S DECYLSU N S ALKYLPOL N | lation toxicity related information o data available on the mixture itself. on ingredients ID/OL: 250 (6h) > 2,5 mg/L ==> ne acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY)ETHANOL: DEC (2h) 29 ppm ==> ne acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY)ETHANOL: DEC (2h) 29 ppm ==> ne acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») <i>IFATE</i> : 0 data available 0 information available. No classification in the above-mentioned hazard class 0 atar available 0 information available. No classification in the above-mentioned hazard class 0 atar available 0 information available. No classification in the above-mentioned hazard class 0 atar available 0 information available. No classification in the above-mentioned hazard class 0 urce: Safety Data Sheet) .YGLYCOSIDE: 0 data available |
| (S Acute inha Preparation There are r Information 1,2-ETHAN (S 2-(2-BUTC N (S OCTYLSU N (S DECYLSU N (S DECYLSU N (S ALKYLPOI N N N N N N N N N N N N N | lation toxicity urelated information o data available on the mixture itself. on ingredients (D/OL: 550 (6h) > 2,5 mg/L ==> te acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY/ETHANOL: DEC (2h) 29 ppm ==> te acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXY/ETHANOL: DEC (2h) 29 ppm ==> te acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») LFATE: to data available to information available. No classification in the above-mentioned hazard class ource: Safety Data Sheet) LFATE: to data available to information available. No classification in the above-mentioned hazard class ource: Safety Data Sheet) VGLYCOSIDE: to data available to information available. No classification in the above-mentioned hazard class ource: Safety Data Sheet) YGLYCOSIDE: to data available |
| (S Acute inha Preparation There are r Information 1,2-ETHAN (S 2-(2-BUTC N (S OCTYLSU N (S DECYLSU N (S ALKYLPOI N (S (S (S (S (S (S (S (S (S (S | lation toxicity Irelated information o data available on the mixture itself. on ingredients (D/OL: 500 (6h) > 2,5 mg/L ==> le acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXYJETHANOL: DEC (2h) 29 ppm ==> le acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXYJETHANOL: DEC (2h) 29 ppm ==> le acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») LFATE: le data available lo information available. No classification in the above-mentioned hazard class ource: Safety Data Sheet) LFATE: lo data available lo information available. No classification in the above-mentioned hazard class ource: Safety Data Sheet) YCLYCOSIDE: lo data available lo information available. No classification in the above-mentioned hazard class ource: Safety Data Sheet) YCLYCOSIDE: lo data available |
| (S Acute inha <u>Preparation</u> There are r <u>Information</u> 1,2-ETHAN (S 2-(2-BUTC N TI (S 2-(2-BUTC) N (S OCTYLSU N (S DECYLSU N S ALKYLPOI N (S FLUOROS | lation toxicity related information to data available on the mixture itself. on ingredients DIOL: \$50 (6h) > 2,5 mg/L ==> te acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXYJETHANOL: DEC (2h) 29 ppm ==> te acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXYJETHANOL: DEC (2h) 29 ppm ==> te acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») LFATE: to data available to information available. No classification in the above-mentioned hazard class ource: Safety Data Sheet) LFATE: to data available to information available. No classification in the above-mentioned hazard class ource: Safety Data Sheet) LFATE: to data available to information available. No classification in the above-mentioned hazard class ource: Safety Data Sheet) LYGLYCOSIDE: to data available |
| (S Acute inha <u>Preparation</u> There are r <u>Information</u> 1,2-ETHAN (S 2-(2-BUTC N TI (S 2-(2-BUTC) N (S OCTYLSU N (S DECYLSU N S ALKYLPOI N (S FLUOROS | lation toxicity Irelated information o data available on the mixture itself. on ingredients (D/OL: 500 (6h) > 2,5 mg/L ==> le acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXYJETHANOL: DEC (2h) 29 ppm ==> le acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») XYETHOXYJETHANOL: DEC (2h) 29 ppm ==> le acute inhalation toxicity related to vapours is corresponding to GHS-category 5. ource: ECHA database «Registered substances») LFATE: le data available lo information available. No classification in the above-mentioned hazard class ource: Safety Data Sheet) LFATE: lo data available lo information available. No classification in the above-mentioned hazard class ource: Safety Data Sheet) YCLYCOSIDE: lo data available lo information available. No classification in the above-mentioned hazard class ource: Safety Data Sheet) YCLYCOSIDE: lo data available |





V-07 Print date: 28.10.21 Page 11 of 22

(Source: Safety Data Sheet)

b) Skin corrosion/irritation Preparation related information non-irritant. Species Method Bridging principle "Substantially similar mixtures". Information on ingredients 1.2-ETHANDIOL: non-irritant. (Source: Safety Data Sheet) 2-(2-BUTOXYETHOXY)ETHANOL: non-irritant. (Source: Safety Data Sheet) OCTYLSULFATE: Causes skin irritation. (Source: Safety Data Sheet) DECYLSULFATE: Causes skin irritation. (Source: Safety Data Sheet) ALKYLPOLYGLYCOSIDE: non-irritant. (Source: Safety Data Sheet) FLUOROSURFACTANT: non-irritant. (Source: Safety Data Sheet) c) Serious eye damage/irritation Preparation related information Causes eve irritation. Species Method Bridging principle "Substantially similar mixtures". Information on ingredients 1,2-ETHANDIOL: non-irritant. (Source: Safety Data Sheet) 2-(2-BUTOXYETHOXY)ETHANOL: Causes serious eye irritation. (Source: Safety Data Sheet) OCTYLSULFATE: Causes serious eye damage. (Source: Safety Data Sheet) DECYLSULFATE: Causes serious eye damage. (Source: Safety Data Sheet) ALKYLPOLYGLYCOSIDE: Causes serious eye damage. (Source: Safety Data Sheet) FLUOROSURFACTANT: non-irritant. (Source: Safety Data Sheet) d) Respiratory or skin sensitisation Preparation related information There are no data available on the mixture itself.



S

V-07 Print date: 28.10.21 Page 12 of 22

Dr.STHAMER HAMBURG

| | nation on ingredients | |
|-----------------|---|--|
| 1,2-E7 | THANDIOL: | |
| | not sensitising. | |
| | (Source: Safety Data Sheet) | |
| 2-(2-B | BUTOXYETHOXY)ETHANOL: | |
| | not sensitising. | |
| | (Source: Safety Data Sheet) | |
| OCTY | /LSULFATE: | |
| | not sensitising. | |
| | (Source: Safety Data Sheet) | |
| DECY | (LSULFATE: | |
| DLUT | not sensitising. | |
| | (Source: Safety Data Sheet) | |
| | (Source: Salety Data Sheet) LPOLYGLYCOSIDE: | |
| ALKI | | |
| | not sensitising. | |
| | (Source: Safety Data Sheet) | |
| FLUOI | ROSURFACTANT: | |
| | not sensitising. | |
| | (Source: Safety Data Sheet) | |
| | | |
| e) G | erm cell mutagenicity | |
| Prepar | ration related information | |
| There | are no data available on the mixture itself. | |
| Inform | nation on ingredients | |
| | THANDIOL: | |
| 1,2 01 | No indications of human germ cell mutagenicity exist. | |
| | (Source: Safety Data Sheet) | |
| <u>ם ר/ ר</u> | BUTOXYETHOXY)ETHANOL: | |
| Z-(Z-D | | |
| | No indications of human germ cell mutagenicity exist. | |
| 007 | (Source: Safety Data Sheet) | |
| OCTY | (LSULFATE: | |
| | No indications of human germ cell mutagenicity exist. | |
| | (Source: Safety Data Sheet) | |
| DECY | 'LSULFATE: | |
| | No indications of human germ cell mutagenicity exist. | |
| | (Source: Safety Data Sheet) | |
| ALKYL | LPOLYGLYCOSIDE: | |
| | No indications of human germ cell mutagenicity exist. | |
| | (Source: Safety Data Sheet) | |
| FLUOI | ROSURFACTANT: | |
| | No indications of human germ cell mutagenicity exist. | |
| | (Source: Safety Data Sheet) | |
| | | |
| f) Ca | arcinogenicity | |
| | ration related information | |
| | are no data available on the mixture itself. | |
| | nation on ingredients | |
| | | |
| ı, ∠- ⊏I | THANDIOL: | |
| | No indication of human carcinogenicity. | |
| 0 /0 5 | (Source: Safety Data Sheet) | |
| 2-(2-B | UTOXYETHOXY)ETHANOL: | |
| | No indication of human carcinogenicity. | |
| | (Source: Safety Data Sheet) | |
| OCTY | ′LSULFATE: | |
| | No indication of human carcinogenicity. | |
| | | |





V-07 Print date: 28.10.21 Page 13 of 22





V-07 Print date: 28.10.21 Page 14 of 22

| Preparation related information |
|---|
| here are no data available on the mixture itself. |
| nformation on ingredients |
| ,2-ETHANDIOL: |
| May cause damage to kidneys through prolonged or repeated exposure if swallowed. |
| (Source: Safety Data Sheet) |
| -(2-BUTOXYETHOXY)ETHANOL: |
| No known symptoms to date. |
| (Source: Safety Data Sheet) |
| DCTYLSULFATE: |
| No known symptoms to date. |
| (Source: Safety Data Sheet) |
| DECYLSULFATE: |
| No known symptoms to date. |
| (Source: Safety Data Sheet) |
| LKYLPOLYGLYCOSIDE: |
| No known symptoms to date. |
| (Source: Safety Data Sheet) |
| ELUOROSURFACTANT: |
| No known symptoms to date. |
| (Source: Safety Data Sheet) |
| |
| Aspiration hazard |
| Preparation related information |
| here are no data available on the mixture itself. |
| nformation on ingredients |
| ,2-ETHANDIOL: |
| No known symptoms to date. |
| (Source: Safety Data Sheet) |
| -(2-BUTOXYETHOXY)ETHANOL: |
| No known symptoms to date. |
| (Source: Safety Data Sheet) |
| DCTYLSULFATE: |
| No known symptoms to date. |
| (Source: Safety Data Sheet) |
| DECYLSULFATE: |
| No known symptoms to date. |
| (Source: Safety Data Sheet) |
| NLKYLPÒLYGLYCOSÍDE: |
| No known symptoms to date. |
| (Source: Safety Data Sheet) |
| LUOROSURFACTANT: |
| No known symptoms to date. |
| (Source: Safety Data Sheet) |
| uformation on other hororda |
| nformation on other hazards Endocrine disrupting properties |
| Preparation related information |
| here are no data available on the mixture itself. |
| nformation on ingredients |
| ,2-ETHANDIOL: |
| <i>2-E I HANDIOL:</i> This substance does not have endocrine disrupting properties with respect to humans. |
| LUS SUBJACE ODES DOLDAVE EDOCCIDE DISCIDIDO DICIDEDIES WITH TESDECLIO DUMADS |
| |
| (Source: Safety Data Sheet) -(2-BUTOXYETHOXY)ETHANOL: |
| |



V-07 Print date: 28.10.21 Page 15 of 22

S Dr. STHAMER HAMBURG

| | (Source: Safety Data Sheet) |
|-------|--|
| OCTYL | SULFATE: |
| | This substance does not have endocrine disrupting properties with respect to humans. |
| | (Source: Safety Data Sheet) |
| DECYL | SULFATE: |
| | This substance does not have endocrine disrupting properties with respect to humans. |
| | (Source: Safety Data Sheet) |
| ALKYL | POLYGLYCOSIDE: |
| | This substance does not have endocrine disrupting properties with respect to humans. |
| | (Source: Safety Data Sheet) |
| FLUOF | ROSURFACTANT: |
| | This substance does not have endocrine disrupting properties with respect to humans. |
| | (Source: Safety Data Sheet) |

Breathing is not possible whilst submerged in the foam. Take care when spraying people!

SECTION 12: Ecological information

12.1 Toxicity

| IONIORY | | | | | | | |
|--|--|--|--|--|--|--|--|
| Acute (short-term) fish toxicity | | | | | | | |
| Preparation related information | | | | | | | |
| Effective dose LC50 | : > 100 < 1000* mg/L | | | | | | |
| Exposure time | : 96 h | | | | | | |
| Species | : Leuciscus idus (golden orfe) | | | | | | |
| Method | : Bridging principle "Substantially similar mixtures". | | | | | | |
| Information on ingredients | | | | | | | |
| 1,2-ETHANDIOL: | | | | | | | |
| LC50 (96h) > 72860 mg/ | | | | | | | |
| | e «Registered substances») | | | | | | |
| 2-(2-BUTOXYETHOXY)ETHANO | L: | | | | | | |
| LC50 (96hr) 1300mg/L | | | | | | | |
| | e «Registered substances») | | | | | | |
| OCTYLSULFATE: | | | | | | | |
| LC50 (96h) > 100 mg/L; | | | | | | | |
| DECYLSULFATE: | e «Registered substances») | | | | | | |
| | | | | | | | |
| LC50 (48h) 13 mg/L (Source: ECHA database | e «Registered substances») | | | | | | |
| ALKYLPOLYGLYCOSIDE: | | | | | | | |
| LC50 (96h) 100,81 mg/L | | | | | | | |
| | e «Registered substances») | | | | | | |
| FLUOROSURFACTANT: | | | | | | | |
| No data available | | | | | | | |
| (Source: Safety Data She | eet) | | | | | | |
| | | | | | | | |
| Acute (short-term) toxicity to cr | ustacea | | | | | | |
| Preparation related information | | | | | | | |
| Effective dose EC50 | : > 100 < 1000* mg/L | | | | | | |
| Exposure time | : 48 h | | | | | | |
| Species | : Daphnia magna (Big water flea) | | | | | | |
| Method | : Bridging principle "Substantially similar mixtures". | | | | | | |
| Information on ingredients | | | | | | | |
| 1.2-ETHANDIOL: | | | | | | | |
| EC50 (48h) > 13900 mg/L | | | | | | | |
| . , • | | | | | | | |
| | | | | | | | |





V-07 Print date: 28.10.21 Page 16 of 22

| `` | | e «Registered su | lbstances») | | |
|-----------------------------|----------------------------|--------------------|---------------------|---------------------|-----------|
| 2-(2-BUTOXYETH EC50 (48) | br) > 1101 mg | | | | |
| (| , 0 | e «Registered su | (bstances») | | |
| OCTYLSULFATE: | | 5 | / | | |
| EC50 (48 | h) > 100 mg/L; | NOEC (48 h) 10 | 0 mg/L | | |
| • | ECHA databas | e «Registered su | lbstances») | | |
| DECYLSULFATE: | | | | | |
| | h) > 100 mg/L | | | | |
| | | e «Registered su | ibstances») | | |
| ALKYLPOLYGLYC | | | | | |
| | h) > 100 mg/L | e «Registered su | (hetancoc») | | |
| FLUOROSURFAC | | | 1031011063// | | |
| No data a | | | | | |
| | Safety Data Sh | neet) | | | |
| Υ. | , | , | | | |
| Acute (short-term |) toxicity to al | gae and cyanob | acteria | | |
| Preparation related | information | | | | |
| Effective dose | EC50 | : > 10 < 100* | mg/L | | |
| Exposure time | | : 72 h | | | |
| Species | | : Scenedesmus | s subspicatus | | |
| Method | | : Bridging princ | iple "Substantial | ly similar mixtures | 5". |
| Information on ingr | <u>edients</u> | | | | |
| 1,2-ETHANDIOL: | | | | | |
| • | , - | _; NOEC (96h) 47 | - | | |
| | | e «Registered su | ibstances») | | |
| 2-(2-BUTOXYETH | | DL: | | | |
| • | h) 1 101 mg/L | o "Dogistorod ou | (hotonooou) | | |
| OCTYLSULFATE: | | e «Registered su | idstalices») | | |
| | | NOEC (72h) 199 | 9 ma/l | | |
| • | , - | e «Registered su | - | | |
| DECYLSULFATE: | | | , | | |
| EC50 (72 | h) 8,64 mg/L; I | NOEC (72h) 0,95 | mg/L | | |
| (Source: E | ECHA databas | e «Registered su | lbstances») | | |
| ALKYLPOLYGLYC | | | | | |
| | | NOEC (72h) 6,2 | | | |
| | | e «Registered su | ibstances») | | |
| FLUOROSURFAC No data a | | | | | |
| | Valiable Safety Data Sh | heet) | | | |
| | Dalety Data Of | 1001) | | | |
| Effects in sewage | plants | | | | |
| Preparation related | - | | | | |
| Analytical method | | y inhibition of mu | nicipal activated | sludge. | |
| 1000* mg/L | - | centration | : 100% | Dilution | : > 1000* |
| 100000* mg/L | | centration | : 1% | Dilution | : > 10* |
| Method | | inciple "Substant | ially similar mixti | ures". | |
| Information on ingr | | | • | | |
| 1,2-ETHANDIOL: | | | | | |
| | 5h) > 1995 mg | y/L | | | |
| • | | e «Registered su | lbstances») | | |
| 2-(2-BUTOXYETH | , | | | | |
| , | 5h) 1995 mg/L | | | | |
| (Source: F | :CHA databas | e «Registered su | ibstances») | | |





V-07 Print date: 28.10.21 Page 17 of 22

| | OCTYLSULFATE: |
|------|--|
| | EC50 (3h) 135 mg/L |
| | (Source: ECHA database «Registered substances») |
| | DECYLSULFATE: |
| | EC50 (3h) 135 mg/L |
| | (Source: ECHA database «Registered substances») |
| | ALKYLPOLYGLYCOSIDE: |
| | EC50 (6h) > 560 mg/L |
| | (Source: ECHA database «Registered substances») |
| | FLUOROSURFACTANT: |
| | No data available |
| | (Source: Safety Data Sheet) |
| | |
| | The product contains fluorosurfactants that are not completely biodegradable. |
| | Some of the components are poorly biodegradable. |
| | Demark |
| | Remark Observe local regulations concerning effluent treatment. |
| | |
| | Special pre-treatments are necessary. |
| | * The statement is derived from products of similar structure or composition. |
| | |
| 12.2 | Persistence and degradability |
| | Biodegradation |
| | Preparation related information |
| | Readily biodegradable (according to OECD criteria). |
| | Additional information : The product contains fluorosurfactants that are not completely biodegradable. |
| | |
| | 5 |
| | Test duration : 28 d |
| | Analytical method : BOD (% of COD). |
| | Method : Bridging principle "Substantially similar mixtures". |
| | Type : Aerobic biological treatment |
| | Information on ingredients |
| | 1,2-ETHANDIOL: |
| | > 90% (10d) OECD 301A |
| | Readily biodegradable (according to OECD criteria). |
| | (Source: ECHA database «Registered substances») |
| | 2-(2-BUTOXYETHOXY)ETHANOL: |
| | 92% (28d) OECD 301 E |
| | Readily biodegradable (according to OECD criteria). |
| | (Source: ECHA database «Registered substances») |
| | OCTYLSULFATE: |
| | 93,5% (29d) OECD 301 B Readily biodegradable (according to OECD criteria). |
| | (Source: ECHA database «Registered substances») |
| | DECYLSULFATE: |
| | 92% (30d) OECD 301 D |
| | Readily biodegradable (according to OECD criteria). |
| | (Source: ECHA database «Registered substances») |
| | ALKYLPOLYGLYCOSIDE: |
| | 70% (28d) OECD 301 A |
| | Readily biodegradable (according to OECD criteria). |
| | (Source: ECHA database «Registered substances») |
| | FLUOROSURFACTANT: |
| | No data available |
| | |



5

V-07 Print date: 28.10.21 Page 18 of 22

Dr.STHAMER HAMBURG

| | No classification in the above-mentioned hazard class |
|-----|--|
| | (Source: Safety Data Sheet) |
| | |
| | Chemical oyxgen demand (COD) |
| | < 1500000* mg*O2/L Concentration : 100% Method DIN EN 38409-H41-1 |
| | < 15000* mg*O2/L ► Concentration : 1% Method DIN EN 38409-H41-1 |
| | Biochemical oxygen demand |
| | < 600000* mg*O2/L Concentration : 100% Method DIN EN 1899-1 Test duration 5 |
| | < 6000* mg*O2/L ► Concentration : 1% Method DIN EN 1899-1 Test duration 5 |
| | BOD5/COD ratio |
| | 40% |
| | |
| | * The statement is derived from products of similar structure or composition. |
| 2.3 | Bioaccumulative potential |
| | Preparation related information |
| | There are no data available on the mixture itself. |
| | Information on ingredients |
| | 1,2-ETHANDIOL: |
| | log Kow -1,36 |
| | No indication of bioaccumulation potential. |
| | (Source: ECHA database «Registered substances») |
| | 2-(2-BUTOXYETHOXY)ETHANOL: |
| | log Kow < 3 |
| | No indication of bioaccumulation potential. |
| | (Source: ECHA database «Registered substances») OCTYLSULFATE: |
| | log Pow <-2.31 |
| | No indication of bioaccumulation potential. |
| | (Source: ECHA database «Registered substances») |
| | DECYLSULFATE: |
| | log Pow 1.72 |
| | No indication of bioaccumulation potential. |
| | (Source: ECHA database «Registered substances») |
| | ALKYLPOLYGLYCOSIDE: |
| | log Kow < 1,77 |
| | No indication of bioaccumulation potential. |
| | (Source: ECHA database «Registered substances») |
| | FLUOROSURFACTANT: |
| | No data available |
| | No information available. No classification in the above-mentioned hazard class (Source: Safety Data Sheet) |
| | (Source: Salety Data Sheet) |
| 2.4 | Mobility in soil If product enters soil, it will be mobile and may contaminate groundwater. |
| | |
| 2.5 | Results of PBT and vPvB assessment |
| | Preparation related information |
| | There are no data available on the mixture itself. |
| | Information on ingredients |
| | 1,2-ETHANDIOL: |
| | This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. |
| | This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. (Source: Safety Data Sheet) |





Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)/(EU) 2020/878

STHAMEX[®]-AFFF 1% F-25 #4142

V-07 Print date: 28.10.21 Page 19 of 22

| | 2-(2-BUTOXYETHOXY)ETHANOL: |
|------|--|
| | This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. |
| | (Source: Safety Data Sheet) |
| | OCTYLSULFATE: |
| | This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. |
| | (Source: Safety Data Sheet) |
| | DECYLSULFATE: |
| | This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. |
| | (Source: Safety Data Sheet) |
| | ALKYLPOLYGLYCOSIDE: |
| | This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. |
| | (Source: Safety Data Sheet) |
| | FLUOROSURFACTANT: |
| | This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII. |
| | (Source: Safety Data Sheet) |
| | |
| 12.6 | Endocrine disrupting properties |
| | Preparation related information |
| | There are no data available on the mixture itself. |
| | Information on ingredients |
| | 1.2-ETHANDIOL: |
| | This substance does not have endocrine disrupting properties with respect to humans. |
| | (Source: Safety Data Sheet) |
| | 2-(2-BUTOXYETHOXY)ETHANOL: |
| | This substance does not have endocrine disrupting properties with respect to humans. |
| | (Source: Safety Data Sheet) |
| | OCTYLSULFATE: |
| | This substance does not have endocrine disrupting properties with respect to humans. |
| | (Source: Safety Data Sheet) |
| | DECYLSULFATE: |
| | This substance does not have endocrine disrupting properties with respect to humans. |
| | (Source: Safety Data Sheet) |
| | ALKYLPOLYGLYCOSIDE: |
| | This substance does not have endocrine disrupting properties with respect to humans. |
| | (Source: Safety Data Sheet) |
| | FLUOROSURFACTANT: |
| | This substance does not have endocrine disrupting properties with respect to humans. |
| | (Source: Safety Data Sheet) |
| | |
| 12.7 | Other adverse effects |
| | The product contains fluorosurfactants that are not completely biodegradable. |

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste. Dispose of waste according to applicable legislation.

Waste codes/waste designations according to EWC/AVV Waste code product

16 WASTES NOT OTHERWISE SPECIFIED IN THE LIST

- 1603 off-specification batches and unused products
- 160305* organic wastes containing dangerous substances

Waste code packaging





Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)/(EU) 2020/878

STHAMEX[®]-AFFF 1% F-25 #4142

V-07 Print date: 28.10.21 Page 20 of 22

15 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT

OTHERWISE SPECIFIED

1501 packaging (including separately collected municipal packaging waste)

150110* packaging containing residues of or contaminated by dangerous substances

Remark

Delivery to an approved waste disposal company.

Send to a hazardous waste incinerator facility under observation of official regulations.

SECTION 14: Transport information

none

14.2 UN proper shipping name

not applicable

14.3 Transport hazard class(es)

Land transport (ADR/RID)

No dangerous good in sense of these transport regulations. Inland waterway craft (ADN)

No dangerous good in sense of these transport regulations.

Sea transport (IMDG)

No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI / IATA-DGR)

No dangerous good in sense of these transport regulations.

: No

14.4 Packing group

not applicable

14.5 Environmental hazards

none Marine pollutant

14.6 Special precautions for user

none

14.7 Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No. 2037/2000 concerning materials, which cause damage to the ozone layer. not applicable

Regulation (EC) No. 304/2003 of the European parliament and of the council concerning the export and import of dangerous chemicals

not applicable





V-07 Print date: 28.10.21 Page 21 of 22

Directive 96/59/EC (PCB-guideline) not applicable

Regulation (EC) No. 648/2004 (Detergents regulation)

The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

Information according to 1999/13/EC about limitation of emissions of volatile organic compounds (VOC-guideline). Volatile organic compounds (VOC) content in percent by weight:: max. 25

Regulation (EC) No. 842/2006 on certain fluorinated greenhouse gases not applicable

Regulation (EC) No 2019/1021 [POP/PFOS-Regulation] The product fulfills all requirements and limit values of this EU regulation.

Regulation (EC) No 2020/784 [PFOA-Regulation] The product fulfills all requirements and limit values of this EU regulation.

Regulation (EC) No 2021/1297 [C9-C14-PFCA-Regulation] The product fulfills all requirements and limit values of this EU regulation.

National regulations Störfallverordnung

This product is not classified according to StörfallVO.

Water hazard class

slightly hazardous to water (WGK 1) Self-classification according to AwSV (mixture).

Annex Chemikalien-Verbotsverordnung (ChemVerbotsV) not applicable

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

The product described in the Safety Data Sheet may only be used for its intended purpose. For exercises please observe the recommendations of the technical committee of BMU/LAMA. The details in this safety data sheet are based on today's stand of our knowledge and is applicable to the product with regard to appropriate safety precautions. They do not represent any guarantee of the properties of the product and do not establish any legal relationship.

Please refer to our internet website for more information: www.sthamer.com

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Classification for the 1% application solution of STHAMEX-AFFF 1% F-25 #4142:

The information in this safety data sheet only applies to the unchanged product in the delivery condition. An application solution prepared therefrom by diluting it with water as recommended usually has significantly fewer hazardous features due to the dilution principle and can even be unclassified. See





V-07 Print date: 28.10.21 Page 22 of 22

also the environmental data sheet provided by us.

| Relevant R-, I | H- and | d EUH-phrase | es (Number and full text) | |
|----------------|--------|--------------|---------------------------|--|
| | | | | |

- H302 Harmful if swallowed or if inhaled.
- H315 Causes skin and eye irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H373.8 May cause damage to kidneys through prolonged or repeated exposure if swallowed.